CO-OPERATIVE RESEARCH AND DEVELOPMENT FOR ADVANCED MATERIALS IN ADVANCED INDUSTRIAL GAS TURBINES

Ramesh Subramanian and Andrew Burns Siemens Westinghouse Power Corporation 4400 Alafaya Trail, Orlando FL

Microturbine and Industrial Gas Turbine Peer Review Meeting March 12th - 14th 2002

Acknowledgement

- Research sponsored by the U.S. Department of Energy, Under Contract # DE-FC02-00CH11048
- Program Manager: Ms. Jill Jonkouski
 Chicago Operations Office

Key Partners in the program

- Major coating vendors:
 - Turbine Airfoil and Coating Repair (TACR), Middletown, NY
 - Howmet Research Corporation, Whitehall, MI
 - Praxair Surface Technologies
- Major raw materials suppliers
 - Praxair Surface Technologies
 - Transtech Corporation
- Materials Property and coating performance evaluation
 - Oak Ridge National Laboratory
 - University of Cinncinnati
 - Westinghouse Plasma Center
- Host engine customer site for rainbow engine test

Talk Outline

- Program Objectives
- Introduction
 - current TBC limitations and proposed solutions
- Technical approach to incorporate advanced TBC technology into our IGTs
 - a low risk, high pay-off strategy
- Accomplishments to date
 - Optimized deposition trials, key materials properties and component coating trials
- Forward plan to program completion

Program objective


A 3-year program, to transition advanced TBC concepts from the development phase to an engine tested coating technology, available for implementation by 12/2003




- Increased engine efficiency
- Higher reliability and durability
- Lower electricity cost
- Increased component life
- Reduced emissions


Establish an enabling technology for the future

Next Generation engines require advanced TBCs with increased temperature capability



A high heat flux rig, at Waltz Mill, PA, exposes samples to severe thermal gradients






Cycling of temperatures and electrica power is automatically controlled


(Westinghouse Plasma Center, PA)

Microturbine and Industrial Gas Turbine Poor

Failure of APS TBC Progresses Layer-by-layer upon exposure to high temperatures




EB-PVD coatings fail due to sintering and show degradation as a result of phase transformation




Total TBC thickness

Advanced TBCs can overcome the limitations of the current 8YSZ TBCs




Microturbine and Industrial Cas Turbine Poor

Overview of the technical approach to incorporate advanced technology into our IGT fleet



Microturbine and Industrial Con Turbine Door


Sintering resistances of new phase stable ceramic compositions were confirmed by dilatometry



(HTML, Oak Ridge National Laboratory)

Microturbine and Industrial Cas Turbine Pool


New ceramic compositions could be deposited both by APS and PVD with the desired microstructure




(Howmet Corporation and Praxair Surface Technologies)

Microturbine and Industrial Cas Turbine Poor

Superior sintering resistance, relative to 8YSZ, is observed for all ceramic compositions deposited both by APS and PVD




Optimization of the deposition process increased EB-PVD TBC spallation life



Further optimization is still underway for additional improvements

Microturbine and Industrial Cas Turbine Doe

Optimization of APS parameters also identified a processing window unique to the advanced compositions



Further optimization is still underway for additional improvements

Microturbine and Industrial Cas Turbine Pool

W501 FC blades and vanes have been successfully coated with new TBCs in a production coater






- Thickness and microstructure met product specification requirements
- Consistent composition across airfoil and platform

(Turbine Airfoil and Coating Repair, Middletown, NY)


New ceramic compositions have thermal conductivity values 20 % to 50 % lower than APS 8YSZ



Potential for significant cooling air reduction and increase in engine efficiency


(HTML, Oak Ridge National Laboratory)

Advanced TBCs have a direct impact on engine efficiency and component life



Microturbine and Industrial Cas Turbine Poor

Schedule overview and forward plan to program completion



- High heat flux testing are ongoing and turbine preparations are expected to start by June 2002.
- Rainbow engine test initiation is expected to be in October 2002

Microturbine and Industrial Cas Turbine Poor

Advanced TBCs can significantly impact engine efficiency and performance and component life

